

SYSTEM OVERVIEW




Nx Witness is an open, extensible IP video management system with Cloud, Desktop, Mobile, and Server applications.



CLOUD

A cloud-based service that enables simple, centralized remote access and insight into any Nx Witness system.




BROWSERS

	Google Chrome
	Mozilla Firefox
	Microsoft Edge

DESKTOP

A rich media player with a flexible GRID interface designed for connecting to and managing an Nx Witness system.




OPERATING SYSTEMS

	Windows
	Ubuntu Linux
	Mac OS

SERVER

A powerful, lightweight media server designed to discover, add, and manage system devices and resources.



OPERATING SYSTEMS

	Windows
	Ubuntu Linux
	ARM / Debian Linux

MOBILE

A mobile application for iOS and Android devices designed for remote viewing and control of

OPERATING SYSTEMS


	Google Android
	Apple iOS



Witness VMS

DESKTOP OVERVIEW

A rich media browser with a flexible GRID interface designed for connecting to, viewing, and managing your Nx Witness System.



USABILITY

	Drag & Drop Interface
	Consolidated Notifications
	Adaptive Playback
	Customizable Layouts
	Digital Maps
	Adaptive Scaling

MEDIA

	IP Video Cameras / Devices
	RTSP/HTTP Streams
	I/O Devices
	Web Pages / URLs
	Recorded Video Files
	Static Image Files

CONFIGURATION

	Events & Rules Engine
	User Management
	IP Video Devices
	Server Management
	I/O Device Management
	Storage Management

SEARCH

	Smart Motion Search
	Keyword Search
	Calendar Search
	Time-Slice Search
	Bookmarks
	Audit Trail



Witness VMS

DESKTOP SPECS

HARDWARE REQUIREMENTS

MINIMUM SUPPORTED SPECS

HARD DRIVE: HDD/SSD/mSATA
RAM: 2GB
CPU: Quad Core Intel Celeron CPU or higher
GRAPHICS: Intel HD Graphics 3000
w/ OpenGL2.1 support
NETWORKING: 1Gbps NIC

PERFORMANCE SPECS

HARD DRIVE: Performance SSD
RAM: 16 GB RAM
CPU: Intel Core i5
GRAPHICS: NVIDIA GeForce GTX 1050
(OpenGL2.1 support is required)
NETWORKING: 10 GB NIC

MAXIMUM # OF GRID ITEMS PER LAYOUT

64 Items (e.g. 64 live streams)

SUPPORTED OPERATING SYSTEMS

WINDOWS

Windows 7
Windows 8
Windows 8.1
Windows 10
Windows Server 2008
Windows Server 2008 R2
Windows Server 2012
Windows Server 2012 R2
Windows 2016 v1607
Windows 10 Enterprise

UBUNTU LINUX

Ubuntu Linux 16.04 LTS
Ubuntu Linux 18.04 LTS

MAC OS

OSX 10.12
OSX 10.13
OSX 10.14

UNIQUE CAPABILITIES

DESKTOP MODES

CONNECTED CLIENT: Manage any connected Nx Witness System

MEDIA PLAYER: View, edit, and export offline videos and images

VIDEO WALL: Put Nx Desktop into Video Wall mode to control remotely

UNIQUE FEATURES

MULTILINGUAL SUPPORT: Support for 20+ languages

SHOWREEL: Fully customizable viewing sequences of any GRID media

CUSTOMIZABLE BRANDING: Customizable Desktop background

DRAG & DROP REASSIGNMENT: Move cameras/streams between Servers

SEARCH

KEYWORD: Search System Resources using Keywords

FLEX TIMELINE: Search by date / time using calendar or mouse movements

EVENTS: Quickly search System event log to find event-driven video

SMART MOTION: Select specific pixels to search a year of archive in seconds

BOOKMARKS: Create Bookmarks manually or automatically with Rules Engine

SUPPORTED MEDIA PLAYBACK & CONTROL

LIVE STREAMING (CAMERAS & STREAMS)

CODECS: H.265 H.264 MJPEG

OFFLINE MEDIA FILES

VIDEOS: AVI MKV MP4 MOV, TS M2TS MPEG MPG FLV WMV 3GP

IMAGES: JPG PNG GIF BMP TIFF

CONTROL DEVICES

I/O Devices: Status and Triggers

SERVERS: Server Health Monitoring

BUILT-IN BROWSER


BROWSER SUPPORT: Websites, URLs, IP Addresses



Witness VMS

SERVER OVERVIEW

A lightweight media server application designed for discovering, adding, and managing system resources and their related metadata.



DISCOVER	MANAGE	VIEW	INTEGRATE
99% of IP Cameras, Webcams	Device Configurations	Server Health	HTTP Events & Actions
I/O Devices	System Rules	Live / Recorded Video	Server API
Encoders	Failover / Redundancy	System Configuration	Metadata SDK
RTSP / HTTP / UDP Streams	Connections (HTTP, HTTPS)	Log Files	Video Source SDK
SAMBA NAS Devices	Archived Video	Audit Trail	Storage SDK
Nx Systems and Servers	Flexible Archive Backup	Storage Status	Server via Cloud API

SERVER SPECS



COMPATIBLE HARDWARE

RECOMMENDED BASED ON # OF STREAMS

STREAMS	RAM	NIC	CPU
Up to 8	1 GB	1 GB	Dual Core ARM
Up to 16	2 GB	1 GB	Dual Core Atom
Up to 32	4 GB	1 GB	Dual Core Celeron
Up to 64	8 GB	1 GB	Core i3
Up to 128	16 GB	1 GB	Core i3

*CPUs change fast and this spec sheet is fixed.

RECOMMENDED MAXIMUMS

OF RESOURCES PER SYSTEM: 10,000
OF CLIENTS PER SYSTEM: UNLIMITED
OF STREAMS PER SERVER: 128
OF SERVERS IN A SERVER HIVE: 100
OF USERS IN A SYSTEM: 1000

* Based on lab environments. Designing a system that exceeds the numbers above? Contact us for assistance.

SUPPORTED OPERATING SYSTEMS

WINDOWS

Windows 7
Windows 8
Windows 8.1
Windows 10
Windows Server 2008
Windows Server 2008 R2
Windows Server 2012
Windows Server 2012 R2
Windows 2016 v1607
Windows 10 Enterprise

UBUNTU LINUX

Ubuntu Linux 16.04 LTS
Ubuntu Linux 18.04 LTS

ARM DEVICES

Raspberry Pi
Jetson TX1, TX2, XAVIER AGX
* Contact us to learn more about our ARM support

UNIQUE CAPABILITIES

SERVER HIVE

SYNCHRONIZATION: SERVERS SYNCHRONIZE SYSTEM DATA IN REAL TIME
FAILOVER: AUTOMATIC CAMERA FAILOVER WHEN SERVER FAILS

ARCHIVE INTEGRITY

INTEGRITY CHECK: NOTIFICATION WHEN FILES MANUALLY MODIFIED
BACKUP: REAL-TIME (CONCURRENT) OR SCHEDULED

NO PREREQUISITE SOFTWARE REQUIRED

DATABASE: SQLITE + PROPRIETARY ARCHIVE INDEX
LIGHTWEIGHT: ~75MB INSTALL FILE

STORAGE

LAN / WAN: HDD SSD NAS (SAMBA)
STORAGE SDK: INTEGRATE NEW STORAGE MEDIUMS (E.G. FTP, CLOUD)

SECURITY

USER RIGHTS: LDAP/ACTIVE DIRECTORY SECURE PASSWORD RECOVERY
TECHNOLOGIES: HTTPS OPEN SSL SALTED MD5 HASH TSL/SSL
ENCRYPTION: SECURE CONNECTIONS ENCRYPTED VIDEO

SUPPORTED MEDIA STREAMING

LIVE STREAM (AVAILABLE VIA SERVER API)

VIDEO: H.265 H.264 MJPEG
AUDIO: MP3
PROTOCOLS: RTSP WebM HLS
TRANSCODING: SUPPORTED (FOR WEB CLIENT, MOBILE, API)

OTHER MEDIA


VIDEOS: AVI MKV MP4 MOV TS M2TS MPEG MPG FLV WMV 3GP
IMAGES: JPG PNG GIF BMP TIFF
VIRTUAL CAMERA: Upload footage from offline cameras (e.g. wearable cameras)



Witness VMS

CLOUD OVERVIEW

A public cloud application built to enable simple, fast, remote connectivity and management of Nx Witness Systems.



CONNECT		VIEW		MANAGE		SCALE	
	NAT Traversal		Live Video (adaptive)		System Settings		Unlimited # of Systems
	Data Proxy via AWS		Recorded Video (adaptive)		User Permissions		Unlimited # of Users
	LDAP Credentials		Camera Details		Cloud Connections		Unlimited # of Devices
	Encrypted Connections		Keyword Search		Share via Email		Cloud API
	Wifi / LAN / WAN		Calendar Search				
	4G / LTE / Data		Scalable Timeline				

CLOUD SPECS



SCALABILITY

MAXIMUM # OF CONNECTED SYSTEMS

UNLIMITED

MAXIMUM # OF USERS

UNLIMITED

NX CLOUD SERVICES

CLOUD CONNECT

Connect any Nx Witness System to Nx Cloud for simple remote connectivity from anywhere using Network Optix's NAT Traversal and Cloud Data Proxy technology.

MANAGE USERS

Add an unlimited number of users to a single Nx Cloud System. Share access to your Nx Witness System in seconds using only email addresses. Create Custom Roles to quickly assign access to multiple Nx Cloud connected Systems.

UNIQUE CAPABILITIES

CONNECTIVITY

CLOUD DATA PROXY: Connect via Nx Cloud to view System data and video

NAT TRAVERSAL (DEFAULT): Connect directly to System via Cloud addressing

SECURE COMMUNICATIONS

SECURITY

PASSWORD RECOVERY: Reset password via email

PASSWORD STORAGE: Complex Multi-Level MD5 Hash

ENCRYPTED CONNECTIONS: HTTPS OPENSSL

ENCRYPTED VIDEO: Encrypt video between Client and Server applications

INTERFACE

CLOUD INTERFACE

SYSTEMS: View connected System tiles in Cloud Web Admin

SETTINGS: View users, rename systems, disconnect systems

VIEW: View live or recorded video from connected cameras / streams

VIEW: View live or recorded video from connected cameras / streams

SUPPORTED BROWSERS

MOBILE / TABLET: CHROME SAFARI FIREFOX EDGE (AND OTHERS)

COMPUTERS: CHROME SAFARI FIREFOX EDGE (AND OTHERS)


INTEGRATION TOOLS

FOR DEVELOPERS

CLOUD API: Integrate with 3rd party applications and devices

FOR ADMINS

ZAPIER: Create connections to other Cloud apps with Zapier.com








MOBILE OVERVIEW

nx Witness VMS

A mobile application for iOS and Android devices design for connecting to, viewing, and interacting with system devices.



CONNECT		VIEW		CONTROL		SEARCH	
	NAT Traversal		Live Video (Adaptive)		Fisheye Dewarping		Keyword Camera Search
	Data Proxy via Cloud		Recorded Video (Adaptive)		Pan-Tilt-Zoom (PTZ)		Calendar Search
	Encrypted Connections		Camera Status		Soft Triggers		Thumbnail Search
	Wifi / LAN / WAN		Layouts		2-Way Audio		Notifications (coming soon)
	4G / LTE / Data		Adjustable Resolutions		Cloud or Local Systems		Flex Timeline
	Encrypted Video		Portrait / Landscape		Unlimited # of Systems		Smart Motion (coming soon)

MOBILE OVERVIEW



SUPPORTED DEVICES



ANDROID PHONES / TABLETS

Android 5.0: "Lollipop" (November 2014)
Android 6.0: "Marshmallow" (October 2015)
Android 7.0, 7.1: "Nougat" (August 2016)
Android 8.0, 8.1: "Oreo" (August 2017)
Android 9.0: "Pie" (August 2018)



APPLE PHONES / TABLETS

iOS 10 (September 2016)
iOS 11 (September 2017)
iOS 12 (September 2018)

VIEWING / PLAYBACK

VIEWING MODES

PORTRAIT

LANDSCAPE

ADJUSTABLE RESOLUTIONS

HIGHEST SPEED (BEST AVAILABLE FRAME RATE)

BEST QUALITY (BEST AVAILABLE RESOLUTION)

1080p

720p

480p

360p

Try Nx Witness FREE for 30 days.

Nx Witness is FREE for live streaming. To try recording cameras activate a FREE 30-DAY TRIAL for 4 cameras.

Get Started with your free trial today:
<http://networkoptix.com/nx-witness>



KEY FEATURES

CONNECT FROM ANYWHERE

LAN / WAN: Connect to Systems using public IP address or Dynamic DNS

VIA NX CLOUD: Login to Nx Cloud to view all shared Systems

ADAPTIVE CONNECTIONS: Works well on Wifi or Data (4G / LTE / 3G)

VIEW LIVE OR RECORDED VIDEO

LIVE VIDEO: Connect to Systems using public IP address or Dynamic DNS

ARCHIVED VIDEO: Login to Nx Cloud to view all shared Systems

CONTROL CAMERAS

FISHEYE CAMERAS: Universal dewarping for fisheye cameras

PTZ: Control PTZ cameras with Joystick and/or tap to move UX

SOFT TRIGGERS: Control soft triggers on cameras

2 WAY AUDIO: Talk through I/O or IP cameras that support Audio In / Out

SEARCH

KEYWORD: Universal dewarping for fisheye cameras

CALENDAR: Control PTZ cameras with Joystick and/or tap to move UX

LAYOUTS: Control soft triggers on cameras

LIVE THUMBNAILS: Scroll through live thumbnails to find a camera / view

FLEX TIMELINE: Search using the same timeline interaction as Nx Desktop

SMART MOTION: Search using Smart Motion



DEVELOPER TOOLS

nx Witness VMS




3RD PARTY VIDEO DEVICES

The Video Source SDK provides the ability to integrate virtually any live or recorded video source (IP Cameras, NVRs, DVRs, etc) into System. It also allows integrating device I/O ports and motion detection information.

3RD PARTY I/O DEVICES

The Video Source SDK also provides the ability to integrate 3rd party I/O devices which can increase hard wire interoperability with 3rd party systems and connected devices.




3RD PARTY STORAGE

The Storage SDK allows developers to read from or write to any storage location: local, remote, and cloud. Creating a storage plugin requires implementing standard functions such as: I/O stream, if file exist, delete file, list of files in the folder, etc. The Storage SDK also contains an example for using an FTP server as a storage location.

Nx Witness Dev Tools are FREE!


Nx Witness developer tools are FREE to use and can be accessed by installing Nx Witness VMS and opening the Server Web Admin interface.

Download Nx Witness today at:
<http://networkoptix.com/nx-witness>



INTEGRATE ANYTHING USING HTTP API CALLS

A REST API that gives developers the ability to access almost every system feature available in the regular client: query/manage system resources (servers, cameras, users, permissions), pull live or recorded video out of System, generate events, create rules, control PTZ cameras, and more.



CREATE PLUGINS THAT RUN ON NX SERVER

The Metadata SDK (available in v4.0) allows developers and tech partners to create installable Plugins for Nx Witness which run on the Nx Server application to create tight, seamless integrations. The Metadata SDK is focused on bringing object metadata from 3rd party Systems - like Face Recognition, Retail Analytics, License Plate Recognition, etc - to enhance both real-time system intelligence and post-event, post-capture video search and review.